

Marine Face Mask

SC-DE-22-NB-3263315-006

Creamy mask with a pleasant soft feeling, easy to distribute. It helps to reduce wrinkles and to enhance the luminosity and vitality of the skin.

Cetiol® SoftFeel●

Natural, soft-solid emollient made from 100% renewable ingredients. Effective alternative to cosmetic-grade petrolatum.

Verdessence™ Tara●

Texturizing agent with nice sensorial properties that improves spreadability for skin care products

Main Claims

-  Marine Ingredients.
-  Creamy texture.
-  98.7% Natural Origin ISO 16128.
-  Easy to remove.



Marine Face Mask

SC-DE-22-NB-3263315-006

Phase	Ingredients	INCI	% by weight	Function
A	Water, demin.	Aqua	73.55	
	Glycerin	Glycerin	3.00	Humectant
	Microzest 50 Spiruline (<i>Lessonia</i>)	Spirulina Maxima Powder	0.30	Active ingredient
	Verdessence™ Tara	Caesalpinia Spinosa Gum	0.50	Rheology modifier
B	Lanette® E	Sodium Cetearyl Sulfate	0.15	Emulsifier (O/W)
	Cremophor® GS 32	Polyglyceryl-3 Distearate	2.50	Emulsifier (O/W)
	Cetiol® C 5	Coco-Caprylate	5.00	Emollient
	Cetiol® SoftFeel	C12-18 Alkanoyl Glycerin/Sebacic Acid Copolymer	2.50	Emollient
	Myritol® 312	Caprylic/Capric Triglyceride	2.00	Emollient
	Cutina® CP	Cetyl Palmitate	1.50	Emollient
	Lanette® 22	Behenyl Alcohol	4.00	Consistency agent
	Tinogard® TL	Benzotriazolyl Dodecyl p-Cresol	0.05	Light stabilizer
C	Euxyl K 903 (<i>Ashland</i>)	Benzyl Alcohol, Benzoic Acid, Dehydroacetic Acid, Tocopherol	1.20	Preservative
	Seanactiv™ BC10113	Aqua, Fucus Vesiculosus Extract, Gluconolactone, Xanthan Gum, Sodium Chloride	2.00	Active ingredient
	Perfume*	Parfum	0.25	Fragrance
	Marine Serum (<i>Lessonia</i>)	Maris Sal	1.50	Active ingredient

Specifications

pH value (23°C)	5.0
Viscosity (Brookfield; RVF; Spindle TE, Helipath; 4rpm; 23°C)	137.500 mPa s
Perfume	Düllberg- Classic Care Natura(Geraniol, Citronellol)

Manufacturing Process

Phase A: Heat up the water and glycerine to 80°C and disperse Verdessence™ Tara while stirring. Stir until a homogeneous gel is build. Phase B: Heat up phase B to 80°C. Add phase B to phase A while stirring at 80°C. Allow the formulation to cool down while stirring and homogenize at 55°C with Ultra Turrax. Stir and cool down to RT. At 30°C add all ingredients one by one from phase C and adjust the pH to 5.0

Formulation Pearl



An increase of Cremophor® GS 32 can create some pearl shine look in the formulation. It needs always to be combined with another emulsifier.